



COMMONWEALTH OF MASSACHUSETTS
EXECUTIVE OFFICE OF ENERGY & ENVIRONMENTAL AFFAIRS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
NORTHEAST REGIONAL OFFICE

205B Lowell Street, Wilmington, MA 01887 • (978) 694-3200

DEVAL L. PATRICK
Governor

TIMOTHY P. MURRAY
Lieutenant Governor

IAN A. BOWLES
Secretary

LAURIE BURT
Commissioner

This is an electronic facsimile of a document on file with the Massachusetts Department of Environmental Protection.

December 14, 2010

Steve Morrow
Olin Corporation
3855 North Ocoee Street, Suite 200
Cleveland, TN 37312

RE: WILMINGTON – Solid Waste/COR
Olin Gypsum Landfill
51 Eames Street
Modification of Post Closure Monitoring Plan
Requirement for Application
FMF # 131605

Dear Mr. Morrow:

The Massachusetts Department of Environmental Protection, Northeast Regional Office, Bureau of Waste Prevention, Solid Waste Management Section (MassDEP) has received your letter dated December 8, 2010 describing proposed alterations to the Post Closure Monitoring Plan (PCMP) for the Olin Calcium Sulfate Landfill at 51 Eames Street, Wilmington, Massachusetts. Olin is proposing alterations to the PCMP to specify the schedule for the semi-annual collection of samples at the site, and the use of filtered vs. unfiltered sampling techniques in collecting those samples.

The alterations constitute a minor modification of the PCMP pursuant to the provisions of 310 CMR 19.039(6) of MassDEP's regulations and condition #4 of MassDEP's January 7, 2009 certification of completion of the closure of the landfill. Pursuant to 310 CMR 4.00, minor modifications pursuant to 310 CMR 19.039(6) shall be submitted with a BWP SW 45 (Alternate Review) application. For MassDEP to proceed with review of your request it is necessary for Olin to submit the required application, including uniquely numbered transmittal form, and payment of the applicable application fee.



MassDEP will retain your letter for thirty (30) days pending submission of the application. Should the application not be received within that time MassDEP may assume your letter was submitted by error.

If you have any questions regarding this matter, please contact David Adams at 978-694-3295.

Sincerely,

Sincerely,

*This final document copy is being provided to you electronically by the
Department of Environmental Protection. A signed copy of this document
is on file at the DEP office listed on the letterhead.*

DCA

David C. Adams
Environmental Engineer
Solid Waste Management

JAC

John A. Carrigan
Section Chief
Solid Waste Management

JD/DCA/dca